

Description


The VDDH100 wireless magnetic door holder is compatible with all of the Argus Wireless Translator and Expander Modules enabling it to be easily integrated into a new or existing wireless system, linked to any wired system or even used as a standalone system. Its fully wireless and battery powered capability means it requires no wiring or power supply, making installation quick, easy and cost effective.

The Argus range of wireless devices are third party approved and utilise the latest cutting edge technologies and features. The well proven adaptive radio signal processing algorithms combined with the latest in magnet technology ensure the highest levels of life safety and system reliability.

Key features

- > Approved to BS EN 1155
- > Easy and Fast installation
- > Local door release button
- > 5 year battery life
- > Utilises standard low cost lithium battery technology
- > Bi-directional wireless communications
- > Fail Safe monitoring to BS 7273 - 4:2015 category A, B and C
- > High holding force
- > 5 year product warranty
- > Door closed monitoring option

Technical information



Technical specification

Operating frequency range	868 - 870 MHz
Max. radiated power	14 dBm (25mW)
Operating frequency channels	7
Communications range	<200m (in open space)
Dimensions	90mm x 135mm x 54mm
Batteries	2 x CR123
Weight	740g
Temp Range (no icing)	-10°C to +55°C
Max Humidity	95%RH
Typical battery life	>5 years
IP rating	30
ISA or the Sagittarius protocol	

Standards & approvals

- > BS EN 1155: Electrically Powered Hold Open Devices
- > AA BS EN 7273-4:2015: Actuation of release mechanisms for door